

Certificate of Analysis

Sample Information

CTLA ID: 165990
 Date Received: 4/6/2026
 Sample Name: 31642 Novalytic V2
 Lot Number: 2606801
 Customer: Origin Nutraceutical, 151 E 3450 N, Spanish Fork, UT 84660

Analysis	Method	MDL	Specification	Result	Units
Rapid Complete Micro					
Total Aerobic Microbial Count (USP)	USP <2021>	100	Report	<100	cfu/g
Total Coliforms (BAM) (MOD)	BAM CH. 4 (MOD)	10	Report	<10	cfu/g
E.Coli BAM (MOD)	BAM CH. 4 (MOD)		Report	Absent	
<i>Salmonella</i>	USP <2022>		Report	Absent	
<i>Staphylococcus aureus</i> <2022>	USP <2022>		Report	Absent	
Rapid Yeast and Mold	AOAC 2014.05	10	Report	<10	cfu/g
Heavy Metals					
Arsenic	USP <233>	.001	Report	0.018	ppm
Cadmium	USP <233>	.001	Report	0.017	ppm
Mercury	USP <233>	.001	Report	<0.001	ppm
Lead	USP <233>	.001	Report	0.040	ppm
Gluten Allergen	ELISA	4	Report	<4	ppm

4/15/2026

DATE

Quality Manager

Specifications provided by the Customer. Results with an asterisk (*) denote Specifications should be reviewed by the Customer. This Certificate of Analysis represents data for the sample submitted and does not constitute a guarantee of quality for the entire product from which it was taken. These results are provided for the benefit of the Customer. MDL = Method Detection Limit. This document is not to be altered or reproduced except by the original authorizing body (CTLA)